Directory of Collections

of


Micro-Organisms

and

List of Species

Maintained in India





Directory of Collections

of

Micro - Organisms

and

List of Species

Maintained in India



CONTENTS

				Pag
Introduction		* *	 	iii
DIRECTORY OF COLLECTIONS OF I	Micro-orga	NISMS		
Numerical List of Collecti	ions		 	1
Index of Main Types of O	rganisms		 	3
List of Collections			 	5
LIST OF SPECIES				
Algae and Protozoa			 	21
Bacteria			 	21
Fungi			 	31
Viruses and Bacteriophage	S		 	41
Yeasts			 	42

INTRODUCTION

The Biochemical Research Committee of the Council of Scientific and Industrial Research, New Delhi, at its meeting in January 1946 recommended the preparation of a consolidated list of type cultures available in India. In August 1947, the British Commonwealth Specialist Conference on Culture Collections of Micro-organisms recommended the publication of a directory of important culture collections in the Commonwealth to be followed by the preparation and distribution of catalogues for institutions maintaining important collections. In implementation of these recommendations Directories of Collections were issued by the U.K. and by New Zealand in 1951. For Canada a combined Directory and Catalogue has been published.

The present publication for India is prepared on the lines of the Directories of Collections and List of Species for the U.K. and New Zealand; the information contained in it was received in response to a questionnaire, the form of which was suggested by the Permanent Committee of the British Commonwealth Collections of Microorganisms.

The publication consists of two parts. The first part is a directory of the various culture collections in India listed with Code Nos. 600-699 allotted to the Indian Collections by the Permanent Committee. The second part gives the lists of micro-organisms maintained in the above collections classified, in general, according to the system followed in previous lists of Commonwealth Collections. After an index of main types of organisms, classified broadly according to interest, the micro-organisms are listed by genera in alphabetical order. For bacteria the nomenclature of Bergey's Manual of Determinative Bacteriology (sixth edition) is used, synonyms in common use being given in brackets. Viruses are referred to only by common names. For yeasts the nomenclature of J. Lodder and N. W. J. Kreger—The yeasts, a Taxonomic Study—has been followed. The numerals after each species name are the code numbers of collections maintaining the organism.

It is intended that this Directory should be followed by catalogues, at least for the larger of the individual collections, giving fuller information on details of isolation and identification.

This Directory was prepared for the Council of Scientific and Industrial Research by the staff of the National Collection of Industrial Micro-organisms at the National Chemical Laboratory of India, Poona-8.



NUMERICAL LIST OF COLLECTIONS

No	NAME OF COLLECTION		PAGE
No.			
600	Agricultural Research Institute, Coimbatore		5
601	Ajudhia Distillery, Raja-ka-Sahaspur		5
602	Albert David Ltd., Calcutta		5
603	Alembic Chemical Works Co., Ltd., Baroda		5
604	Andhra Medical College, Visakhapatnam		5
605	Armed Forces Medical College, Poona		6
606	Banaras Hindu University, Banaras		6
607	Behar Sugar Works Distillery, Behar		6
608	Bengal Chemical and Pharmaceutical Works Ltd.,		
500 8	Calcutta		6
609	Birla College of Sciences, Pilani		6
610	B.J. Medical College, Ahmedabad		7
611	B. J. Medical College, Poona		7
612	Bombay Veterinary College, Bombay		7
613	Bose Institute, Darjeeling		7
614	Carmichael Medical College, Calcutta		7
615	Central Drug Research Institute, Lucknow		8
616	Central Food Technological Research Institute, Mys	ore	8
617	Central Inland Fisheries Research Station, Calcutta		8
618	Central Marine Fisheries Research Station,		
	Mandapam		8
619	Central Potato Research Instituto, Patna		8
620	Central Research Institute, Kasauli		9
621	Central Rice Research Institute, Cuttack		9
622	Chemo Pharma Laboratories Ltd., Bombay		9
623	Christian Medical College Hospital, Vellore		9
624	College of Agriculture, Poona		9
625	Delhi University, Delhi		10
626	Department of Chemical Technology, Bombay		10
627	Department of Nutrition, Bombay		10
627A	Food Technology Laboratory, Calcutta		10
628	Forest Research Institute, Dehra Dun		10
629	Fresh Water Biological Station, Madras		11
629A	Government Agricultural College, Ludhiana		11
630	Government Central Distillery, Nasik Road		11
631	Government Vaccine Institute, Bangalore		11
632	Haffkine Institute, Bombay		11
633	Indian Type Culture Collection of Fungi, New Delhi		12
634	Indian Dairy Research Institute, Bangalore		12
635	Indian Institute of Science, Bangalore		12

636	Indian Institute of Sugar Technology, Kanpur		12
637	Indian Jute Mills Association Research Instit	ute,	
001	Calcutta		13
638	Jeypore Sugar Co., Ltd., Rayagada		13
639	Jute Agricultural Research Institute, Barrackpore		13
640	King Institute of Preventive Medicine, Madras		13
640A	Kolhapur Sugar Mills Ltd., Kolhapur		14
641	Malaria Institute of India, Delhi		14
641A	M. G. M. Medical College, Indore		14
642	Microbiological Laboratory, Calcutta		14
643	Mysore Serum Institute, Bangalore		14
644	Mysore Sugar Co. Ltd., Distillery, Mandya		15
645	National Collection of Industrial Micro-organisms,		
	Poona		15
646	Nutrition Research Laboratories, Coonoor		15
647	Osmania University, Hyderabad		15
648	Osmania University, Hyderabad		16
649	Pasteur Institute of Southern India, Coonoor		16
650	Pasteur Institute of West Bengal, Calcutta		16
651	Plant Pathological Laboratory, Jorhat		16
652	Provincial Bacteriological Laboratory, Amritsar		16
653	Public Health Laboratory, Poona		17
654	Pure Products and Madhu Canning Ltd., Bombay		17
655	Raptokos Brett and Co., Ltd., Bombay		17
656	Saugar University, Saugar		17
657	S. C. B. Medical College, Cuttack		17
659	Seth G. S. Medical College, Bombay		18
660	Shamli Distillery and Chemical Works Laboratory	7,	18
661	Sheila Dhar Institute of Soil Science, Allahabad		18
662	State Agricultural Institute, Calcutta		18
663	State Public Health Laboratory, Patna		18
664	Technical Development Establishment Laborato	ries,	
665	Topiwala National Medical College, Bombay		19
666	University Biochemical Laboratory, Madras		19
667	University Botany Laboratory, Madras		19
668	University Department of Biochemisters No.		19
669	University Department of Biochemistry, Nagpur Vaccine Institute, Belgaum		19
670	Veterinary College, Hissar		20
671	Veterinary Research Institute of India		20
011	Veterinary Research Institute of India, Mukteswar-Kumaun		20
672	Veterinary Science and Animal Husbandry Col	lege,	20
CDO	Mathura		20
673	Walchandnagar Distillery, Bombay		20

INDEX OF MAIN TYPES OF ORGANISMS

The numbers opposite the several types of organisms indicate the code numbers of the collections maintaining them. For a numerical list of code numbers, see page 1.

Algae, 617, 629, 647

Animal pathogens, 602, 604, 605, 608, 609, 610, 611, 612, 615, 618, 620, 623, 626, 631, 632, 634, 635, 640, 641, 641A, 642, 643, 649, 650, 652, 653, 657, 659, 663, 665, 666, 669, 670, 671, 672

Antibiotic production, 614, 633, 635, 642, 645

Bacteria, 602, 603, 604, 605, 606, 608, 609, 610, 611, 612, 613, 615, 616, 618, 620, 622, 623, 624, 626, 627, 627A, 629A, 631, 632, 633, 634, 635, 636, 637, 639, 640, 641A, 642, 643, 645, 646, 649, 651, 652, 653, 654, 655, 657, 659, 662, 663, 664, 665, 666, 668, 670, 671, 672

Dairy and food, 616, 626, 627A, 634, 635, 636, 654

Fungi, 600, 602, 603, 606, 609, 614, 616, 619, 621, 622, 624, 625, 626, 627A, 628, 633, 634, 635, 636, 637, 639, 642, 645, 646, 651, 655, 656, 662, 664, 666, 667, 668

Industrial fermentation, 601, 602, 603, 607, 614, 616, 622, 626, 630, 633, 634, 635, 636, 638, 642, 644, 645, 646, 654, 660, 661, 666, 670


Microbiological chemistry, 602, 603, 609, 614, 615, 616, 620, 622, 626, 627, 634, 635, 636, 642, 645, 646, 653, 655, 666

Plant pathogens, 600, 613, 614, 619, 621, 624, 625, 628, 637, 639, 642, 648, 651, 656, 662, 664, 667

Protozoa, 617, 641, 647, 659, 671

Viruses, 605, 613, 615, 620, 629, 631, 643, 649, 650, 669, 671

Yeasts, 600, 601, 606, 607, 616, 622, 626, 627A, 630, 633, 634, 635, 636, 638, 640A, 642, 644, 645, 654, 655, 660, 661, 662, 668, 673



LIST OF COLLECTIONS

Code No.

600 AGRICULTURAL RESEARCH INSTITUTE, Mycology Laboratory, Lawley Road P.O., Coimbatore (Madras State).

Microbiologist: T. S. Ramakrishnan

Interests: agricultural and research
Organisms: fungi, and yeasts; 150

Maintenance: in lifeless media

Distribution: on request (for a fee) or in

exchange

601 AJUDHIA DISTILLERY, Raha-ke-Sahaspur, Moradabad Distt. (U.P.).

Works Manager: N. K. Bali Interest: industrial Organisms: yeasts

Maintenance: in lifeless media

602 ALBERT DAVID LTD., 5/11, D. Gupta Lane, Calcutta-2.

Director: Dr. S. L. Mukherjee

Interests: industrial, medical, research

Organisms: bacteria and fungi; 8
Maintenance: in lifeless media
Distribution: personal favour

603 ALEMBIC CHEMICAL WORKS CO., LTD., Microbiological

Laboratory, Baroda-3.

Interests: industrial, medical, research

Organisms: bacteria and fungi; 3
Maintenance: in lifeless media

604 ANDHRA MEDICAL COLLEGE, Visakhapatnam (Madras State).

Professor in charge: Dr. P. N. Rao

Interests: medical and research

Organisms: bacteria

Maintenance: in lifeless media, eggs, animals and

frozen state

605 ARMED FORCES MEDICAL COLLEGE, Pathology Dept.,

Poona-1.

Commandant: Brigadier A. K. Gupta Interests: medical and research

Organisms: bacteria, 169; animal viruses, 5

Maintenance: in lifeless media, tissue cultures,

embryonated eggs, and animals

Distribution: on request (for a fee)

606 BANARAS HINDU UNIVERSITY, Department of Pharmaceutics, Banaras.

Professor in charge: Dr. N. C. Neogi

Interests: industrial, medical, research

Organisms: bacteria, fungi, yeasts
Maintenance: in lifeless media

607 BEHAR SUGAR WORKS DISTILLERY, Pachrukhi, Saran Disttt. (Bihar).

Microbiologist:

E. N. Parthasarathy

Interest: industrial Organisms: yeast; 1

Maintenance: in lifeless media

Distribution: on request

608 BENGAL CHEMICAL AND PHARMACEUTICAL WORKS LTD., Biology Department, Calcutta-11.

Microbiologist: Dr. S. N. Ghosh

Interests: industrial, medical, research
Organisms: bacteria and bacteriophages; 96

Maintenance: in lifeless media

Distribution: on request (for a fee) or in

exchange

609 BIRLA COLLEGE OF SCIENCES, Division of Pharmacy,

Pilani (Rajasthan).

Microbiologist: K. Lakshminarayanan

Interests: industrial, medical, research

Organisms: bacteria, 7; fungi, 5
Maintenance: in lifeless media

Distribution: on request

610 B. J. MEDICAL COLLEGE, Pathology Department, Ahmedabad (Bombay State).

Professor of Pathology: Dr. Y. M. Bhenda

Interest: medical Organisms: bacteria; 22

Maintenance: in lifeless media

Distribution: on request

611 B. J. MEDICAL COLLEGE, Department of Pathology and Bacteriology, Poona-1.

Professor in charge: Dr. P. G. Gollerkeri Interests: medical and teaching

Organisms: bacteria; 30
Maintenance: in lifeless media

Distribution: on request

612 BOMBAY VETERINARY COLLEGE, Bacteriological Laboratory, Parel, Bombay.

Officer in charge: Professor of Bacteriology

Interest: veterinary
Organisms: bacteria; 37

Maintenance: in lifeless media

Distribution: on request

613 BOSE INSTITUTE, Mayapuri Research Station, Acharya Jagadish Chandra Road, Darjeeling (West Bengal).

Microbiologist: Dr. A. Ganguly
Interest: agricultural

Organisms: plant viruses, 5; bacteria, 9

Maintenance: bacteria in lifeless media and

viruses in living plants

Distribution: on request

614 CARMICHAEL MEDICAL COLLEGE, Botanical Laboratory, Calcutta.

Director: Dr. S. R. Bose

Interests: industrial, medical, research

Organisms: fungi; 100

Maintenance: in paraffin oil, and at 4°C. in

Mckarty's screw capped phials

Distribution: on request and personal favour

615 CENTRAL DRUG RESEARCH INSTITUTE, Chattar Manzil Palace (Council of Scientific and Industrial Research),

Lucknow (U.P.).

Director:

Dr. B. Mukerji

Interests:

industrial, medical, research

Organisms: Maintenance: bacteria, 88; animal viruses, 6 in lifeless media, tissue cultures,

embryonated eggs, in animals

and in the frozen state

Distribution:

on request

CENTRAL FOOD TECHNOLOGICAL RESEARCH INSTI-TUTE, Microbiology and Sanitation Division (Council of Scientific and Industrial Research), Mysore.

Director:

Dr. V. Subrahmanyan

Microbiologist:

Dyal Singh Johan

Interests:

agricultural, industrial, medical,

research

Organisms:

bacteria, 20; fungi, 11; yeasts, 36

Maintenance:

in lifeless media

Distribution:

on request (for a fee)

617 CENTRAL INLAND FISHERIES RESEARCH STATION, Barrackpore P.O., Calcutta.

Chief Research Officer: Dr. H. Srinivasa Rao

Interest:

research

Organisms:

algae and protozoa

Distribution:

on request

618 CENTRAL MARINE FISHERIES RESEARCH STATION. Mandapam Camp P.O. (S. India).

Bacteriologist:

Chief Research Officer: Dr. N. K. Panikkar

N. K. Velankar

Interests:

industrial and research (fish pre-

servation)

Organisms:

bacteria; 50

Maintenance:

in lifeless media

619 CENTRAL POTATO RESEARCH INSTITUTE, Patna (Bihar).

Director:

Dr. S. Ramanujam

Microbiologist:

Dr. M. J. Thirumalachar agricultural and research

Interests: Organisms:

fungi, 15; potato pathogens

Maintenance:

in lifeless media

Distribution:

on request

620 CENTRAL RESEARCH INSTITUTE, Kasauli, Punjab (I).

Director: Lt. Colonel M. L. Ahuja Interests: medical and research

Organisms: bacteria and animal viruses; 300 Maintenance: in nutrient media, in animals, em-

bryonated eggs, frozen and lyophilized (Edwards' method)

Distribution: without fee to international bodies

or laboratories; others on request (for a fee)

This Institute serves as the Government of India's National Collection of Type Cultures of organisms of medical and public health interest.

CENTRAL RICE RESEARCH INSTITUTE, Cuttack-4 (Orissa). 621

Director: Dr. N. Parthasarathy Interests: agricultural and research

Organisms: fungi (pathogenic on rice), 65

Maintenance: in lifeless media

Distribution: on request

CHEMO PHARMA LABORATORIES LTD., King's Lodge, 622

Byculla, Bombay.

Microbiologist: F. X. Lobo

Interests: industrial and research

bacteria, 8; fungi, 19; yeasts, 3 Organisms: in oil, soil and refrigerated stocks Maintenance:

(5-15°C.)

Distribution: on request

CHRISTIAN MEDICAL COLLEGE HOSPITAL, Bacteriological 623 Laboratory, Vellore, North Arcot Distt. (Madras State).

> Dr. (Miss) Ruth M. Myres Microbiologist:

medical Interest: Organisms: bacteria; 20 Maintenance: in lifeless media

on request (for a fee) Distribution:

COLLEGE OF AGRICULTURE, Plant Pathology Section, 624 Poona-5.

> Dr. M. K. Patel Plant Pathologist: agricultural Interest:

bacteria and fungi; 100 Organisms:

in lifeless media Maintenance:

on request or in exchange Distribution:

625 DELHI UNIVERSITY, Department of Botany, Delhi-8.

Microbiologist: S. D. Sanwal

Interest: research
Organisms: fungi; 74

Maintenance: in lifeless media

Distribution: on request

626 DEPARTMENT OF CHEMICAL TECHNOLOGY, Food Technology Section, University of Bombay, Matunga, Bombay-19.

Microbiologist: Dr. A. Sreenivasan

Interest: research

Organisms: bacteria, 11; fungi, 17; yeasts, 2

Maintenance: in lifeless media

Distribution: on request (for a fee)

627 DEPARTMENT OF NUTRITION, c/o. Haffkine Institute, Parel,

Bombay-12.

Director: Dr. M. V. Radhakrishna Rao

Interest: research
Organisms: bacteria; 15

Maintenance: dried-lyophilization

627A FOOD TECHNOLOGY LABORATORY, College of Engineering and Technology, Calcutta-32.

Director: Dr. A. N. Bose

Interests: agricultural, medical, research
Organisms: bacteria, fungi, yeasts; 30

Maintenance: in lifeless media

Distribution: on request

628 FOREST RESEARCH INSTITUTE, Mycology Branch, New Forest, Dehra Dun (U.P.).

Head of the Division

of Mycology: Dr. K. Bagchee

Interests: research, agricultural, industrial,

medical

Organisms: fungi; 284

Maintenance: on neutral malt agar, paraffin oil,

in living plants as well as in the

frozen state

Distribution: on request (for a fee)

The collection of fungi is representative of all the parts and climes of India.

FRESH WATER BIOLOGICAL STATION, 951, Poonamallee 629 High Road, Kilpauk, Madras-10.

P. I. Chacko Asst. Director:

development of inland fisheries Interest:

algae; 10 Organisms:

in lifeless media Maintenance:

629A GOVERNMENT AGRICULTURAL COLLEGE, Bacteriological Laboratory, Ludhiana, Punjab (I).

Dr. M. R. Madhok Microbiologist:

agricultural Interest: bacteria Organisms:

in lifeless media Maintenance:

on request (for a fee) Distribution:

GOVERNMENT CENTRAL DISTILLERY, Nas k Road 630

(Bombay State).

The Superintendent Officer in charge:

industrial Interest: yeasts: 1 Organisms:

mohua juice media Maintenance: on request (for a fee) Distribution:

GOVERNMENT VACCINE INSTITUTE, Lalbagh Road, 631

Bangalore-2 (Mysore State).

Dr. V. N. Krishnamurthy Superintendent: medical and research Interests:

animal viruses Organisms:

in tissue cultures, embryonated Maintenance:

eggs, in animals and in the

frozen state

on request Distribution:

HAFFKINE INSTITUTE, Parel, Bombay-12. 632 Dr. P. M. Wagle

Director: medical and research

Interests: bacteria and animal viruses; 69 Organisms: freeze dried, embryonated eggs and

Maintenance: in animals

bacteria on request (for a fee); Distribution: virus strains are not issued.

633 INDIAN TYPE CULTURE COLLECTION OF FUNGI, Division of Mycology and Plant Pathology, Indian Agricultural Research Institute, New Delhi-12.

> Head of the Division of Mycology and Plant

Pathology:

Dr. R. S. Vasudeva

Interests:

agricultural, research and teaching bacteria, fungi and yeasts; 850

Organisms: Maintenance:

in lifeless media

Distribution:

on request (for a fee) or in

exchange

The collection is a member of the International Federation of Culture Collections.

634 INDIAN DAIRY RESEARCH INSTITUTE, Dairy Bacteriology Section, Hosur Road, Bangalore-1 (Mysore State).

Director:

Dr. K. C. Sen

Dairy Bacteriologist:

Dr. K. K. Iya

Interests: Organisms: agricultural, veterinary, research bacteria, fungi, and yeasts; 230

Maintenance:

in lifeless media

Distribution:

on request to scientists and for a

fee to others

635 INDIAN INSTITUTE OF SCIENCE, Department of Biochemistry, Bangalore-3 (Mysore State).

In charge of yeasts: Dr. M. K. Subramanian Dr. P. L. Narasimha Rao

In charge of fungi:

In charge of bacteria: T. K. Wadhwani

Interest:

research

Organisms:

yeasts, 60; bacteria, 50; fungi and

protozoa, 22

Maintenance:

in lifeless media

Distribution:

on request

636 INDIAN INSTITUTE OF SUGAR TECHNOLOGY, Kanpur (U.P.).

Director:

Dr. J. M. Saha

Microbiologist:

J. P. Shukla

Interests:

industrial and research

Organisms:

bacteria, 3; fungi, 7; yeasts, 8

Maintenance:

on agar slants

Distribution:

on request (for a fee)

637 INDIAN JUTE MILLS ASSOCIATION RESEARCH INSTI-TUTE, 3, Taratola Road, Calcutta-27.

Director: Dr W G Ma

Dr. W. G. Macmillan

Microbiologist:

Dr. S. N. Basu

Interests:

industrial and research

Organisms:

fungi; 100

Maintenance:

in lifeless media

Distribution:

on request

Cultures mostly isolated by the Institute, a few obtained from foreign collections.

638 JEYPORE SUGAR CO. LTD., Rayagada, Koraput Distt. (Orissa).

Distillery Chief

Chemist:

G. Ramachandar

Interest:
Organisms:

industrial yeasts; 12

Maintenance:

in the frozen state

Distribution:

on request

639 JUTE AGRICULTURAL RESEARCH INSTITUTE, Barrack-pore (West Bengal).

Director:

Dr. B. C. Kundu

Interest:

agricultural

Organisms:

bacteria and fungi

Maintenance:

synthetic media; dried specimens

on killed host tissues

Distribution:

on request

640 KING INSTITUTE OF PREVENTIVE MEDICINE, Guindy.

Madras-15.

Director: Dr. Y. S. Narayana Rao

Interests: medical, research, veterinary
Organisms: bacteria and bacteriophages; 468
Maintenance: in lifeless media, animals and also

in the lyophilized state

Distribution:

on request (for a fee)

High titre sera for various pathogenic organisms are prepared.

640A KOLHAPUR SUGAR MILLS LTD., Kasaba Bavada, P.O., New Palace, Kolhapur (Bombay State).

Interest:

industrial

Organisms:

yeasts

Maintenance:

in lifeless media

641 MALARIA INSTITUTE OF INDIA, 22, Alipore Road, Delhi-8.

Director:

Lt. Col. Jaswant Singh

Interests:

medical, research, veterinary

Organisms:

protozoa; 5

Maintenance:

in embryonated eggs

Distribution:

on request

641A M. G. M. MEDICAL COLLEGE, Department of Pathology and Bacteriology, Indore (M.B.).

Professor in charge:

Dr. C. Mohan Rangam

Interests:

medical and research bacteria

Organisms:
Maintenance:

in lifeless media

Distribution:

personal favour

642 MICROBIOLOGICAL LABORATORY, Bose Institute, Calcutta-9.

Microbiologist:

Dr. P. N. Nandi

Interests:

medical and research

Organisms:

bacteria, fungi and yeasts; 650

Maintenance:

in lifeless media

Distribution:

on request and personal favour

643 MYSORE SERUM INSTITUTE, Hebbal, Bangalore (Mysore State).

Superintendent:

V. S. Kuppuswamy Mudaliar

Interests:

veterinary, research, agriculture bacteria and animal viruses

Organisms:
Maintenance:

in lifeless media, animals and

embryonated eggs

Distribution:

on request or in exchange

This is a specialized laboratory for work on animal bacteriology, pathology, parasitology and serology. Any other institution in India may seek help from the research sections of this Institute.

644 MYSORE SUGAR CO. LTD., DISTILLERY, Mandya (Mysore State).

Microbiologist:

G. Narashima Iyengar

Interest:

industrial yeasts; 50

Organisms:
Maintenance:

lifeless media

Distribution:

on request

The type of yeast is one of high alcohol tolerance, producing up to 12 per cent alcohol by volume and is a hybrid evolved in this Distillery under the name of GN/1942-C.

645 NATIONAL COLLECTION OF INDUSTRIAL MICRO-ORGANISMS, National Chemical Laboratory (Council of Scientific and Industrial Research), Poona-8.

Director:

Professor G. I. Finch, F.R.S.

In charge of

Dr. M. Damodaran, Head of the

collection:

Division of Biochemistry T. N. Ramachandra Rao

Microbiologist:
Interests:

industrial and research

Organisms:

bacteria, yeasts, and fungi; 750

Maintenance:

in lifeless media and soil

Distribution:

on request

646 NUTRITION RESEARCH LABORATORIES, Indian Council of Medical Research, Coonoor (S. India).

Director:

Dr. V. N. Patwardhan

Microbiologist:

Dr. P. K. Vijayaraghavan

Interest:

research

Organisms:

bacteria, 10; fungi, 4

Maintenance:

in lifeless media

Distribution:

on request

The micro-organisms are maintained for the micro-biological assays of various nutrients.

OSMANIA UNIVERSITY, Hydrobiological Section, Department of Botany, Hyderabad (Deccan).

Microbiologist:

Dr. M. R. Suxena

Interest:

research

Organisms:

algae and protozoa; 25

Maintenance:

in aqueous media and agar media

648 OSMANIA UNIVERSITY, Plant Pathology Section, Department of Botany, Hyderabad-5 (Deccan).

Microbiologist: Dr

Dr. M. Abdus Salam

Interest:
Organisms:

research fungi; 19

Maintenance:

in lifeless media

649 PASTEUR INSTITUTE OF SOUTHERN INDIA, Coonoor

(S. India).

Director: Dr. N. Veeraraghavan medical and research

Organisms: bacteria and animal viruses

Maintenance: in lifeless media, in tissue cul-

tures, embryonated eggs, and in animals; viruses are lyophilized in Edwards' centrifugal freeze

drier

Distribution: on request

650 PASTEUR INSTITUTE OF WEST BENGAL, School of Tropical Medicine Building, Calcutta-12.

Superintendent:

Dr. J. Banerjee

Interests:
Organisms:

medical and veterinary animal viruses (Rabis)

Maintenance:

in animals

Distribution:

on request (for Institutes prepar-

ing anti-rabis vaccine)

651 PLANT PATHOLOGICAL LABORATORY, Jorhat (Assam).

Microbiologist:

S. Chowdhury agricultural

Interest:
Organisms:

bacteria, fungi in lifeless media

Maintenance:
Distribution:

on request (for a fee)

652 PROVINCIAL BACTERIOLOGICAL LABORATORY, Department of Pathology, Medical College, Amritsar, Punjab (I).

Microbiologist:

Dr. Manmohan Singh

Interests:

medical, research, teaching

Organisms:

bacteria; 40

Maintenance:
Distribution:

in lifeless media

on request (for a fee)

653 PUBLIC HEALTH LABORATORY, Government of Bombay, Stenely Road, Poona-1.

Asst. Director: Dr. S. T. Rodda

Interests: medical and research

Organisms: bacteria; 6

Maintenance: in lifeless media

Distribution: on request

654 PURE PRODUCTS AND MADHU CANNING LTD., Research

and Control Laboratory, Worli, Bombay-18.

Chief Technologist: Dr. H. A. B. Parpia

Interests: agricultural, industrial, research

Organisms: bacteria, 1; yeast, 1
Maintenance: in lifeless media

Distribution: on request

655 RAPTAKOS, BRETT AND CO. LTD., Research and Control Division, Worli, Bombay-18.

Head of the Division: Dr. G. B. Ramasarma Interests: industrial and research

Organisms: bacteria, 11; fungi, 4; yeasts, 2

Maintenance: in lifeless media
Distribution: personal favour

656 SAUGAR UNIVERSITY, Mycological Section of the Department of Botany, Saugar (M.P.).

Microbiologist: S. B. Saksena

Interests: teaching and research on soil and

acquatic fungi

Organisms: fungi; 75

Maintenance: agar media and hemp seeds for

acquatic fungi

Distribution: personal favour or in exchange

657 S. C. B. MEDICAL COLLEGE, Department of Pathology, Cuttack (Orissa).

Professor in charge: Dr. J. C. Dutta

Interest: medical bacteria; 20

Maintenance: in lifeless media

Distribution: on request

659 SETH G. S. MEDICAL COLLEGE, Pathology and Bacteriology Department, Parel, Bombay-12.

Officer in charge:

Professor of Pathology and Bac-

teriology

Interests:

medical and research

Organisms:

bacteria, bacteriophages and pro-

tozoa; 55

Maintenance:

in lifeless media, in animals and in

frozen state

Distribution:

on request

660 SHAMLI DISTILLERY AND CHEMICAL WORKS LABORATORY, Shamli, S.S.Rly.

Microbiologist:

M. C. Chattarpati

Interest:
Organisms:

industrial yeast; 1

Maintenance:

in lifeless media

Distribution:

on request

661 SHEILA DHAR INSTITUTE OF SOIL SCIENCE, University of Allahabad, Beli Road, Allahabad (U.P.).

Director:

Dr. N. R. Dhar

Interests:

agricultural, industrial, research

Organisms:

yeasts; 100

Maintenance:

in lifeless media

Distribution:

personal favour

662 STATE AGRICULTURAL INSTITUTE, Mycological Laboratory, Tollygunge, Calcutta-33.

Microbiologist:

Dr. S. B. Chattopadhyay agricultural and research

Interests:
Organisms:

bacteria, fungi, and yeasts; 36

Maintenance:

in lifeless media

Distribution:

on request

663 STATE PUBLIC HEALTH LABORATORY, Patna-4 (Bihar).

Officer in charge:

Dr. L. R. Shah Deo

Interest:

medical bacteria

Organisms:
Maintenance:

in lifeless media

Distribution:

on request

TECHNICAL DEVELOPMENT ESTABLISHMENT LABORA-664 TORIES, Post Box No. 320, Kanpur (U.P.).

Superintendent in

charge:

Dr. T. S. Subramanian

Interest:

research on tropical deterioration

Organisms:

fungi and bacteria; 925

Maintenance:

in lifeless media

Distribution:

on request

Micro-organisms isolated during studies on deterioration of Service stores.

TOPIWALA NATIONAL MEDICAL COLLEGE, Department 665 of Pathology and Bacteriology, Bombay-8.

Professor in charge: Dr. L. Monterio

Interest:

medical

Organisms:

bacteria; 20

Maintenance:

in lifeless media

Distribution: on request

UNIVERSITY BIOCHEMICAL LABORATORY, University of 666 Madras, Alagappa Chettiar College of Technology, Madras-25.

Director:

Dr. P. S. Sarma

Interest:

research

Organisms:

bacteria, 8; fungi, 14

Maintenance:

in lifeless media

Distribution:

personal favour

UNIVERSITY BOTANY LABORATORY, Triplicane, Madras-5. 667

Director:

Dr. T. S. Sadasivan

Interest:

plant pathological research

Organisms:

fungi; 50

Maintenance:

in lifeless media

Distribution:

on request

UNIVERSITY DEPARTMENT OF BIOCHEMISTRY, Nagpur 668 (M.P.).

Professor in charge:

Dr. M. C. Nath

Interest:

research

Organisms:

bacteria, fungi, yeasts; 40

Maintenance:

in lifeless media

669 VACCINE INSTITUTE, Belgaum (Bombay State).

Director: Dr. R. S. Rao

Interests: medical and research

Organisms: animal viruses (vaccine virus); 2
Maintenance: in embryonated eggs and in

animals

Distribution: on request (for a fee)

670 VETERINARY COLLEGE, Pathology Laboratory, Hissar, Punjab (I).

Officer-in-charge:

Principal veterinary

Interest:
Organisms:

bacteria; 10

Maintenance: in lifeless media

671 VETERINARY RESEARCH INSTITUTE OF INDIA, Pathology and Bacteriology Division, Mukteswar-Kumaun (U.P.).

Director:

Dr. S. Dutta

Head of the Division of Pathology and

Bacteriology:

M. R. Dhanda

Interests:

veterinary and research

Organisms:

bacteria, animal viruses and pro-

tozoa; 90

Maintenance:

in lifeless media, embryonated

eggs, animals and freeze-dried

Distribution:

on request to scientists; others

(for a fee)

672 VETERINARY SCIENCE AND ANIMAL HUSBANDRY COLLEGE, Department of Pathology, Mathura (U.P.).

Principal:

P. G. Pande

Interest:

training in veterinary bacteriology

Organisms:

bacteria: 20

Maintenance:

in nutrient media and in the

refrigerator

673 WALCHANDNAGAR DISTILLERY, Construction House, Ballard Estate, Fort, Bombay.

Director:

C. Subramaniam

Interest:
Organisms:

industrial yeasts

Maintenance:

in lifeless media

Distribution:

on request

LIST OF SPECIES

The numbers opposite each species indicate the code numbers of the collections maintaining it. For a numerical list of code numbers, see page 1

ALGAE AND PROTOZOA

ILOIL 2	IND I ROTOZOII
Anabaena	Navicula
A. sp., 647	N. sp., 647
Anomoensis	Nostoc
A. sp., 647	N. sp., 647
CALONEIS	Oocystis
C. sp., 647	O. sp., 647
CHLAMYDOBOTRYS	PEDIASTRUM
C. sp., 647	P. sp., 647
CHLAMYDOMONAS	
C. sp., 647	Phacotus Phacotus
CHLORELLA CAR	P. sp., 647
C. sp., 647	Phacus Phacus
C sp. 647	P. sp., 647
C. sp., 647 COLEASTRUM	PLASMODIUM
C. sp., 647	P. berghei, 641
CYMBELLA	P. cynomolgi, 641 P. gallinaceum, 641
C. sp., 647	P. inui, 641
DACTYLOCOCCOPSIS	P. knowlesi, 641
D, sp., 647	Scenedesmus
EUGLENA	S. sp., 58
E. sp., 647	Selenastrum
GOMPHONEMA	S. sp., 647
G. sp., 647	Tetraedron
GYROSIGONA	T. sp., 647
G. sp., 647	TRYPANOSOMA
HANTZSCHIA	T. evansi, 671
H. sp., 647	1. Edulos, ora

H. sp., 647

BACTERIA AEROBACTER ACETOBACTER A. aerogenes (Bacterium aero-A. suboxydans, 645, 646 genes), 605, 609, 615, 616, 620, ACHROMOBACTER 634, 645 A. sp., 618 type I, 634 ACTINOMYCES type II, 634 A. farcinicus, 612 type IV, 634 A. spp., 642, 645, 664

Aerobactor—Continued

A. cloacae (Bacterium cloacae), 634

A. sp., 634

ALKALIGENES

A. faecalis (Bacterium faecalis alkaligenes, Vibrio alkaligenes), 605, 615

A. viscosus, 634

AZOTOBACTER

A. agile, 642

A. chroococcum, 642

A. indicum, 642

BACILLUS

B. anthracis, 604, 605, 610, 643, 665, 670, 671, 672

other strains:

virulent strain, 612 vaccine strain, 612

P. I, 643

P. II, 643

local strain, 643

- B. alkalescens see Shigella alkalescens
- B. anthroides, 605
- B. brevis, 634
- B. cadaveris, 645
- B. cereus, 634, 635, 645 var. albolactis, 634 var. mycoides, 634, 645
- B. coagulans, 634
- B. cylindricus, 634
- B. kaustophilus, 634
- B. lactis-niger see B. subtilis var. niger
- B. lentus, 634
- B. macerans, 664
- B. megatherium, 634, 635, 645
- B. mesentericus, 616, 664
- B. mycoides, 616
- B. niger see B. subtilis var. niger
- B. solanacearum see Pseudomonas solanacearum

Bacillus—Continued

B. sphaericus, 634

B. stearothermophilus, 634

B. subtilis, 605, 609, 610, 615, 616, 623, 626, 632, 634, 635, 640, 642, 664, 665, 671, 672

var. niger, 634, 664

B. sp., 618, 645

BACTERIUM

- B. mono-cytogenes see Listeria mono-cytogenes
- B. pneumoniae see Klebsiella pneumoniae

B. sp., 645, 657

BRUCELLA

- B. abortus, 605, 611, 612, 632, 640, 659, 671
- B. melitensis, 605, 611, 620, 632, 640, 670, 671
- B. suis, 605, 612, 671

B. sp., 672

CHLOROBIUM

- C. limicola, 645
- C. thiosulphatophilium, 645 Chromatium
- C. strain. 0, 645
- C. sp., 645

CHROMOBACTERIUM

- C. prodigiosum see Serratia marcescens
- C. sp., 618

CLOSTRIDIUM

- C. acetobutylicum see Cl. acetonigenum
- C. acetonigenum (Cl. acetobuty-licum), 636
- C. aerofoetidum, 671
- C. bifermentans, 671
- C. botulinum, 605, 611, 612, 659, 671
- C. chauvoei (Clostridium feseri), 612, 643, 671
- C. histolyticum, 611, 659, 671

CLOSTRIDIUM—Continued

C. oedematiens (Clostridium nevyi), 605, 611, 612, 622, 643, 671

C. perfringens (Cl. welchii), 605, 611, 632, 643, 659, 671

type A, 612

type B, (Lamb-dysentery bacillus), 612

type C, (Cl. paludis), 612 type D, (Cl. ovitoxicum), 612 other strains:

S.R.12, 645, 666 B.W.21, 645

C. roseum, 616, 645

C. septicum, 605, 612, 632, 643, 659, 671

other strains: P III, 645

C. sporogenes, 605, 654, 659, 671

C. tertium, 671

C. tetani, 671

C. tetanomorphum, 671

C. welchii see Clostridium perfringens

C. sp., 634

CORYNEBACTERIUM

C. acnes, 640

var. ponsoneley, 620

C. coryzae-segmentosum, 620

C. diphtheriae, 604, 610, 623, 632, 640, 641-A

var. gravis, 605

var. intermedius, 605, 659, 665

var. mitis, 605, 659 Park-Williams, 605, 609, 620

C. equi, 671

C. hofmannii see Corynebacterium pseudodiphthericum

C. ovis (Corynebacterium pseudo tuberculosis), 670, 671 Rodentium strain, 671

C. pseudodiphthericum (C. hof-mannii), 605, 610, 659

CORYNEBACTERIUM—Continued

C. pyogenes, 612, 671

C. xerosis (C. xerose), 605, 620

C. sp., 634, 672

Суторнада

C. sp., 664

DESULPHOVIBRIO

D. sulphuricans, 645

D. sulphuricans, Kona, 645

D. sulphurgenii, 645

D. sp., 645

DIPLOCOCCUS

D. pneumoniae (Streptococcus pneumoniae), 611, 612, 623, 641-A, 659

type I, 605, 620

type II, 605, 620

type III, 605, 620

type IV, 620

EBERTHELLA

E. typhosa see Salmonella typhi
Escherichia

E. coli (Bacterium coli), 605, 609, 610, 612, 616, 623, 640, 641-A, 642, 645, 655, 664, 665, 666, 670, 671, 672

type I, 634

type II, 634

irregular, 634

var. acidi-lactici, 605, 620

var. commune, 620

var. communior, 632, 659

var. communis, 605, 615, 620, 659

var. mutabilis, 659

var. neapolitana (B. coli, var.

neapolitanum), 605, 659

other types:

mutant C, 181, 626, 655

aberdeen B, 605

 $coscoroba,\,605$

immobilis, 605

ESCHERICHIA—Continued

E. freundii (B. freundii), 634

E. intermedium (coliform intermediate)

type I, 634

type II, 634

type IV, 634

E. sp., 634, 635

ERYSIPELOTHRIX

E. monocytogenes see Listeria monocytogenes

FLAVOBACTERIUM

F. sp., 618, 664

HAEMOPHILUS

H. bronchisepticus (Brucella bronchiseptica), 620

H. influenzae, 620, 640

H. pertussis, 620, 640

KLEBSIELLA

K. pneumoniae (Bacterium pneumoniae); (pneumo-bacillus of Friedlanders), 605, 609, 620, 623, 632, 642, 659

LACTOBACILLUS

L. acidophilus, 602, 616, 620, 627, 634, 640, 645

L. arabinosus see L. plantarum

L. brevis, 634, 645, 646

L. bulgaricus, 602, 620, 634, 636, 655

L. casei, 602, 615, 622, 626, 627, 634, 645, 646, 655, 666

L. caucasicus, 634

L. delbrueckii, 603, 627, 645, 655

L. fermenti, 616, 627, 634, 645, 646, 653, 655

L. helveticus, 616, 634, 645, 653

L. lactis,

var. dorner, 634, 646, 655

L. leichmannii, 603, 615, 626, 634, 646, 655

L. lycopersici, 616, 645

LACTOBACILLUS—Continued

L. plantarum, 615, 622, 626, 627, 634, 645, 646, 653, 655, 666

L. thermophilus, 634

LEUCONOSTOC

L. citrovorum, 626, 645, 646, 655, 666

L. dextranicum, 645

L. mesenteroides, 616, 622, 627, 645, 646, 653, 655, 666

L. paracitrovorum, 634

L. sp., 634, 635

LISTERIA

L. monocytogenes (Erysipelotherix monocytogenes), 620, 671

MALLEOMYCES (Pfeifferella)

M. mallei, 671

M. pseudomallei, 671

Micrococcus

M. aurantiacus, 634

M. caseolyticus, 634

M. citreus (Staphylococcus citreus), 605, 610, 611, 612, 620, 623, 632, 643, 659, 665, 671

M. cinnabareus, 634

M. epidermidis (Staphylococcus epidermidis), 634

M. flavus, 634

M. pyogenes

var. albus (Staphylococcus pyogenes albus), 605, 611, 612, 620, 623, 626, 632, 634, 643, 655, 659, 666, 671

M. pyogenes

var. aureus (Staphylococcus pyogenes aureus), 602, 605, 609, 610, 611, 612, 615, 616, 620, 623, 642, 643, 645, 649, 659, 665, 666, 670, 671

Micrococcus—Continued PASTEURELLA P. pestis, 610, 611, 632, 659 other strains: P. pseudotuberculosis, Oxford, 610 type A.G. II, 620 Penicillin assay, 620 type B.G. I, 620 M. roseus (Rhodococcus roseus), type B.G. II, 620 634, 664 type B.G. III, 620 M. sp., 604, 618, 634, 635, 640, var. rodentrium, 612 641-A, 657, 672 P. septica (Pasteurella multo-MYCOBACTERIUM cida), 671 M. enteritidis (Mycobacterium strain, aviseptica, 612, 620, 6**4**3 paratuberculosis), 643, 670, strain, boviseptica, 620, 643 strain, bubaliseptica, 643 M. paratuberculosis see M. enstrain, oviseptica, 612 teritidis P. sp., 672 M. phlei, 642, 671 PARACOLON GROUP M. smegmatis, 671 (PARACOLOBACTRUM) M. stercoris, 671 P. aerogenoides, 632 M. tuberculosis, P. coliforme, 632 avian type, 615, 620, 671 P. intermedium, 632 other types: bovine type, 605, 615, 620, 643, B. asiaticus, 620 671 B. paracolon, 605 human type, 605, 611, 615, 620, P. sp., 632 632, 665, 671 PLEUROPNEUMONIA GROUP other types: Asterococcus mycoides: Vole, 671 bovine strain 671; H 3 7 R V, 602, 615 ovine strain, 671 S.C.F., 659 PROPIONIBACTERIUM from sputum, 659 P. shermanii, 616 from ascitic fluid, 659 P. thoenii, 616 from urine, 659 PROTEUS from pus, 659 P. mirabilis, untyped, 623, 632, 635, 641-A, strain HXK, 605, 649, 664 670, 672 P. morganii, 605, 630 NEISSERIA P. vulgaris, 640, 671 N. catarrhalis, 620, 623 P. sp., N. gonorrhoeae, 605, 620, 640, other strains: N. meningitidis, 605, 640 XL, 620 XM, 620 620 type I, X19, 612, 620 620 type II.G, OX19, 632, 659, 665 type III, 620 HX, 605 type VI.G, 620

PROTEUS—Continued

HX 19, 615, 620, 632, 632, 649, 659

HX 2, 605, 620, 649

OX 2, 620, 632, 649, 659, 665

OXL, 649

HXL, 649

OXK, 632, 657, 659

HXK, 616, 623, 649, 664

P. sp., 604, 609, 657

PSEUDOMONAS

- P. aeruginosa (P. pyocyanea), 610, 611, 615, 620, 623, 632, 634, 640, 649, 659, 664, 665, 671
- P. oxaliticus, 645
- P. putrefaciens, 634
- P. pyocyanea see Pseudomonas aeruginosa
- P. solanacearum (Bacillus solanacearum), 634
- P. sp., 618, 635, 657 Rніzовіим
- R. japonicum, 645
- R. leguminosarum, 629-A, 645
- R. lupini, 645
- R. meliloti, 645
- R. phaseoli, 645
- R. trifolii, 645

other strains:

- R. sp., isolated from leguminous plants; 8 strains, 642
- R. sp., isolated from clover; 8 strains, 613
- R. sp., 624, 645

SALMONELLA

- S. abortusequi, 605, 612, 632, 671
- S. aertrycke see S. typhimurium
- S. anatis, 612, 671
- S. choleraesuis, 671

var. kunzendorf, 605, 671

S. columbensis (B. columbense), 620

SALMONELLA—Continued

S. enteritidis, 611, 612, 620, 632 var. chaco, 605 var. gartner, 605, 671

S. gallinarum, 612, 671

- S. hirschfeldii see S. paratyphi-C
- S. morbificans, 671
- S. paratyphi-A (Salmonella paratyphi), 602, 605, 610, 611, 615, 620, 623, 632, 640, 641-A, 649, 659, 665, 671
 var. durazzo, 605

others:

local isolation; 150 strains, 659

isolation from other parts of the world; 50 strains, 659

- S. paratyphi-B (Salmonella schottmuelleri), 602, 605, 610, 611, 615, 620, 623, 632, 640, 641-A, 649, 659, 665, var. java, 605
- S. paratyphi-C. (Salmonella hirschfeldii), 605, 611, 620, 632, 640, 649
- S. typhi (Salmonella typhosa) 602, 608, 610, 611, 615, 623, 640, 641-A, 642, 649, 653, 659 other types:

H., 665

O., 665

H. 901, 605, 615, 620, 632, 649, 659

O. 901, 605, 615, 620, 632, 649, 659

Watson, 632

Army 58, 632

Army 56, 632

type 2, 632

Rawlins, 620, 632

Rideal Walker, 632

SALMONELLA—Continued

type I, Vi phage, 605, 615, 632

standard Vi phage; 24 strains, 659

local isolations; 600 strains, 659

S. typhimurium, 612, 620, 632, 671 var. binns, 605, 630 other types (Salmonella):

1. Aberdeen, 603

2. Adelaide, 603

3. Amersfoort, 671

4. Arizona, 605

5. Ballerup, 605, 632

6. Bareilly, 605, 632

7. Brandenburg, 605

8. Carrau, 605

9. Cerro, 605, 632

10. Chester, 605

11. Dar es Salaam, 605

12. Derby, 605

13. Dublin, 603

14. Dusseldorf, 605

15. Glostrup, 605

16. Hvittingfoss, 603, 671

17. Hull, 671

18. Inverness, 605

19. Kentucky, 605, 632

20. Kirkee, 605

21. Lexington, 605, 632

22. Litchfield, 605

23. London, 605, 632

24. Mears, 620

25. Minnesota, 605

26. Montevideo, 605, 671

27. Moscow, 605

28. New Castle, 620

29. Newington, 605, 671

30. Newport, 605, 620, 632, 671

31. Onderstepoort, 605, 671

32. Oranienburg, 605, 671

33. 'O' Type, 605

SALMONELLA—Continued

34. Panama, 605

35. Poona, 605, 632

36. Potsdam, 605, 671

37. Rawland, 620

38. Reading, 605, 671

39. Rostock, 605

40. Senftenburg, 605

41. Stanley, 605, 671

42. Suisbury, 605

43. Tel Aviv, 605

44. Tennessee, 605

45. Thompson, 605, 632, 671

46. Tidy, 620

47. Typhi VI (pure), 605

48. Urbana, 605

49. Virchow, 605, 632

50. Worthington, 605

S. sp., 672

SARCINA

S. lutea, 664

S. sp., 618

SERRATIA

S. indica (Chromobacterium indicum), 634

var. rubrum, 664

S. marcescens (Bacillus prodigious or Chromobacterium prodigiosum), 605, 620, 640, 659, 664

SHIGELLA

S. alkalescens (Bacillus alkalescens), 605

S. boydii

type 1 (170), 605, 620, 632 type 2 (P 288), 605, 620, 632 type 3 (D 1), 605, 620, 632

type 4 (P 274), 605, 620

type 6 (D 19), 605, 620

Shigella—Continued	STREPTOCOCCUS
S. dysenteriae, 608	Lancefield's Groups
type 1, 610, 611, 615, 620, 623,	GROUP A
632, 640, 659	Str. pyogenes, 612, 615, 620
type 2, 605, 610, 611, 620, 632,	var. haemolyticus, 623, 659, 665
659, 665	671
type 4 (Q 1167), 605	var. non haemolyticus, 659
type 5 (Q 1030), 605, 671	8 to 15
type 7 (Q 902), 605	types 1 to 6. 34 types, 605
S. flexneri, 610, 611, 615, 623, 640,	17 10 19
659	22 to 47
type 1a (Andrews & Inman V),	GROUP B
605, 620	Str. agalactiae, 612, 634, 643, 671
type 2a (Andrews & Inman V),	GROUP C
605, 620, 632	Str. dysgalactiae, 612, 634
type 3 (Andrews & Inman Z),	type 7, 605 type 20, 605
605, 620, 632	type 21, 605
type 4a (Boyd 103), 605, 620	Str. equi, 670, 671
type 5a (Boyd P119), 605,	GROUP D, 612
620	Str. liquefaciens, 616, 634
type 6 (88 – Newcastle – Man-	GROUP G
chester), 605, 620	
variant (X type), 620, 632	type, 16, 605, 634
variant (Y type), 620, 632	other species:
S. paradysenteriae see S. boydii	S. cremoris, 634
and S. flexneri	S. erysipelatis, 620
S. shigae see S. dysenteriae	S. faecalis, 615, 616, 620, 627, 634,
type 2	665
S. shigae see S. dysenteriae	var. R., 605, 645, 646, 653, 655,
type 1	666
S. sonnei, 610, 611, 615, 620, 632,	S. lactis, 627, 634, 636, 649
659	S. paracitrovorus, 616
strains Rough, 605	S. pneumoniae see Diplococcus
strains Smooth, 605	pneumoniae
S. sp., 604	S. pyogenes, see group A
SPIROCHAETA S. Gallingson (P. 1977)	S. scarlatinae, see group A
S. gallinerum (Borrelia anse-	S. thermophilus, 634
rina), 670, 671	S. uberis, 634
Sporocytophaga S. myxococcoides, 637	S. viridans, 605, 620, 623, 659
Staphylococcus	S. sp., 635, 640, 641A, 657, 672
(Micrococcus)	STREPTOMYCES
(Millior ococcus)	S. sp., 635, 642

VIBRIO

- V. alkaligenes see Alkaligenes faecalis
- V. cholerae (Vibrio comma), 602, 608, 610, 611, 620*, 623, 640, 642, 663, 665
- V.c. Inaba, 605*, 615*, 620*, 632, 649, 659

VIBRIO-Continued

V.c. Ogawa, 605, 615*, 620*, 632, 649, 659

V. el Tor, 615*, 620*

V. metchnikovi, 620

V. sp., 604, 618, 635, 645

* List of strains given below:

Vibrio and Vibrio cholerae strains	in Collection No. 615
1. Vibrio el Tor B.1	32. V.c.Ogawa 560
2. ,, ,, D.G.24	33. 564
3. " " " 34.D.B.	34. , 49514
4. V.c.Inaba 52	35 59
5. ,, 74	36 60
6. ,, 113	37. ,, 61
7. ", 119	38. ,, 368
8. ,, 123	39 378
9. ,, 132	40. , 425
10. ,, 194A 11 539	41. ,, 556 42. , 558
12. , 541	42 596
12 548	44. V.c.Hikojima
14 1 550	520
15 560R	45. V.c.Rough M.L.15
16. ,, 614	46. ,, 569 B
17. ,, 49514	47. , 49515
18. ,, 49524	48. Water Vibrio Kimboghat
19. " S12	49. " Tank
20. " S8	50. ,; Kahl
21. ,, S5	51. " N.A.G. 1
22. ,, 375	52 2
23. ,, 384	53, 3
24. ,, 393	54. ,, , 4
25. ,, 399 26 420	55 , 5
26. ,, 420 27. ,, 502	56. ,, 6
28. V.c.Ogawa 52	57 ,, 7
29. ,, 123	58. ,, 8
30 132	59. ,, 9
31. ,, 558	60. ,, ,, 10

Vibrio and Vibrio cholerae strains in Collection No. 620

	VIDITO and VIDITO CHOICE OF	
1.	V.N.32/124 G.II	17. V.T.M.C.H. 367/3 18. V.P.I.S. 367
2.	V.14.52/120 C.111	19. V.L. 9/36
3.	V.14.32/103 G.14	20. V.L. 3/36
4.	V. el Tor D.19 G.V.	21. V.L. 1/36
5.	R. Rangoon Rough	22. V.L.I. 10/5
6	V 1612	23. V.P.I.S. 984
7.	V.T.M.C.H. 630/3/T	24. V. W. Kohat original
8.	V.T.M.C.H. 1123/2	25. V.C.T.M. 2898
9.	V.T.M.C.H. 1805/1	25. V.C.1.W. 2030
10	V.T.M.C.H. 543/1	26. V.C.T.M. 2943
11	V.T.M.C.H. 353/3	27. V.C.T.M. 5780
19	V.T.M.C.H. 627/29/2	28. V. W. Tank I.A. (2074 D)
12	V.T.M.C.H. 627/2	29. V. W. Tank 4 B
10.	V.T.M.C.H. 1158/1	30. V. el Tor Doornbos
15	V.T.M.C.H. 790/6	31. E. el Tor D.G. 18
10.	V.T.M.C.H. 833/2/1	32. E. el Tor. D.G. 25
10.	V.1.IVI.C.II. 000/2/2	

XANTHOMONAS X. cassiae, 642 X. citri, 642

XANTHOMONAS—Continued X. desmodii-gangetici, 642 X. sp., 624

Vibrio and Vibrio cholerae strains in Collection No. 620-continued 33. E. el Tor D.G. 26
34. V. W. Band
35. V. W. Breweries (Kasauli)
36. V. W. Kimboghat
37. V. W. Nawa
38. V. el Tor 34-D-18
39. V. el Tor 34-D-13 94. V.Ch.9466 95. V.Ch.232 96. V.Ch.241 97. V.Ch.246 98. V.Ch.270 99. V.Ch.227 100. V.Ch.265 101. V.Ch.269 102. V.Ch.292 39. V. et Tor 34-D-13 40. V. et Tor D.G. 17 41. V. et Tor D.G. 24 42. V.W./1800/1 43. V.M./W/495/1 44. V.M./W/k28T 103. V.Ch.481770 104. V.Ch.481771 105. V.Ch.481772 106. V.Ch.481773 107. V.Ch.481774 108. V.Ch.481775 45. V.M./W/211 46. V.M./W/136T 47. V.M./W/139T 48. V.M./W/142 49. V.W./880 Linton 109. V.Ch.481444 110. V.Ch.481445 111. V.Ch.481453 112. V.Ch.481482 113. V.Ch.481581 114. V.Ch.481582 50. V.M./W/1500/1 51. V.M./W/1686/1 52. V.M./W/160 53. V.M./W/491/1 54. V.M./W/166 115. N.I.H.35 55. V.B./W/488/3 116. N.I.H.35B 56. V.B./W/104 57. V.B./W/499/1 58. V.Ch.Khulna I 117. N.I.H.35A3 118. N.I.H.35K 119. N.I.H.41 Smooth 120. N.I.H.41 Opaque B 59. V.Ch.2812 60. V.Ch.194/A 121. N.I.H.41B 61. V.Ch.191/A 62. V.Ch.M.L.66 63. V.Ch.242/A 64. V.Ch.2856/L 122. N.I.H.389 123. V.I.Morain 124. V.2.Farana 125. V.3.Suez 126. V.4.Suez 65. V.Ch.162/H 66. V. Ch.Ogawa T 67. V.Ch.569 B 68. V.Ch.11 127. Port-Said 163 127. Port-Said 163
128. Port-Said 285
129. Port-Said 289
130. Port-Said 291
131. Port-Said 296
132. Tantah
133. 8946
134. 8990
135. 10420
136. 10440
137 12976 69. V.Ch.C.L.91 70. V.Ch.C.L.93 71. V.Ch.C.L.94 72. V.Ch.9172 73. V.Ch.9175 74. V.Ch.9372 75. V.Ch.8258 76. V.Ch.9013 77. V.Ch.569B Rough 78. V.Ch. Inaba R/D 136. 10440 137. 12976 138. 95656 139. Ismallia 13 140. E Z 5 C.F. 141. Eltor B.1 142. Eltor B.2 79. V.Ch.368/213A 80. V.Ch.569 Smooth 81. V.Ch.M.L.15 Smooth 82. V.Ch.270/215 A 143. B.4 143. B.4 144. B.3 145. Eltor 4 146. Makassar 676 147. Makassar 794 148. Indi 653 149. V.b. 610 150. Indo-China 1927 83. V.Ch.534/380 A 84. V.Ch.M.L. 4 Rough 85. V.Ch.370/215A Ogawa variant 86. V.Ch.M.L. 15 Rough 87. V.Ch.M.14.D 88. V.Ch.M.L.66 Inaba variant 89. V.Ch.727 90. V.Ch.443 151. Saigon 1046 92. V.Ch.416 93. V.Ch.412 152. Hanoi

153. Shanghai 10

FUNGI

ABSIDIA

A. blakesleeana (+) & (-), 633

A. butleri, (+) & (-), 633

A. coerulea, 633

A. cylindrospora, 633

A. glauca, 600 (+) & (-), 633

A. spinosa, 633

A. sp., 656

ACHLYA

A. sp., 656

ACREMONIUM

A. sp., 637

ACROSTALAGMUS

A. cinnabarinus see Nectria inventa

A. sp., 656

ACROTHECIUM

A. lunatum see Curvularia lunata

A. sp., 664

AGARICUS

A. campestris, 600

A. sp., 628

Agaru fungus see Torula sp.

ALLOMYCES

A. sp., 656

ALTERNARIA

A. capsici, 633

A. solani, 614, 619, 633, 642, 664

A. tenuis, 614, 633

A. tomato, 633

A. spp., 600, 614, 624, 634, 635, 637, 648, 651, 656, 662, 664
Anthostomella

A. sp., 664

APHANOMYCES

A. sp., 656

ARACHNIOTUS

A. aureus, 633

A. sp., 642, 662

ARMILLARIA

A. sp., 614, 628, 633

ASCOBOLUS

A. indica, 625

(Morphological and biochemical mutants, 187 mutants)

ASCOCHYTA

A. rabiei see Mycosphaerella rabiei

ASHBYA

A. gossypii see Nematospora gossypii

ASPERGILLUS

A. albus see A. candidus

A. amstelodami, 633, 664

A. atropurpureus, 637

A. candidus, 626, 633, 636, 664

A. carbonarius, 633

A. chevalieri, 637, 664

A. cinnamomeus, 616, 633

A. clavatus, 633

A. flavipes, 633, 637

A. flavus, 633, 636, 637, 664

A. foetidus (A. aureus), 645

A. fonsecaeus, 636

A. fumigatus, 626, 633, 637, 645, 664

A. galeritus, 633

A. glaucus group, 633, 664

A. japonicus, 637

A. nidulans, 633, 637, 645, 664

A. niger, 600, 603, 616, 622, 626, 633, 634, 636, 637, 645, 664, 666

A. niger var. cinnamomeus, 633

A. niveus, 626

A. ochraceus, 633

A. oryzae, 600, 602, 616, 626, 633, 636, 637, 645, 664, 666

A. parasiticus, 633, 645

A. phoenicis, 633

A. proliferans, 637

A. repens, 633

A. solani-tuberosi, 619

ASPERGILLUS—Continued

A. sydowi, 637, 664

A. tamarii, 633

A. terreus, 626, 633, 636, 637, **645**, 664

A. unguis, 637

A. ustus, 633, 637, 664

A. versicolor, 637

A. spp., 609, 625, 634, 635, 642, **645**, 651, 656, 662, 664

BLAKESLEA

B. sp., 625

BOTRYODIPLODIA

B. saccharina, 633

B. theobromae, 633

BOTRYTIS

B. allii, 633

B. cinerea, 633

B. sp., 664

BRACHYSPORIUM

B. sp., 664

Byssochlamys

B. sp., 664

CADOPHORA

C. sp., 664

CEPHALOSPORIUM

C. acremonium, 633

C. sacchari, 633, 642

C. spp., 625, 637, 651, 662, 664

CEPHALOTHECA

C. purpurea, 633

C. reniformis, 633

CEPHALOTHECIUM

C. sp., 664

CERATOCYSTIS

C. ambrosium, 628

CERATOSTOMA

C. sp., 664

CERATOSTOMELLA

C. adiposum, 633

C. paradoxa (Thielaviopsis paradoxa), 633

C. pini, see Grosmannia pini

CERATOSTOMELLA—Continued

C. spp., 600, 628, 651

CERCOSPORA

C. beticola, 625

C. blumeae, 633

C. cruenta, 633

C. cucurbitae, 614

C. hibisci, 639

C. indica, 625, 633

C. solani-tuberosi, 619

C. sp., 624, 651

CHAETOCLADIUM

C. brefeldii, 633

Снаетоміим

C. affine, 633

C. aureum, 633, 637

C. brasiliensis, 621, 637

C. cancroideum, 633, 637, 664

C. cochliodes, 633, 637, 664

C. convolutum, 633

C. crispatum, 633

C. dolichotrichum, 637, 664

C. elatum, 633, 637, 664

C. funicola, 637

C. globosum, 633, 637, 664

C. indicum, 621, 633, 637

C. microcephalum, 637

C. murorum, 633

C. ochraceum, 633, 637

C. pachypodioides, 637

C. setosum, 633

C. subterraneum, 633

C. trigonosporum, 637

C. vebraceum, 664

CHOANEPHORA

C. sp., 625, 664

CLADOSPORIUM

C. butyri, 634

C. herbarum, 633, 664

C. sp., 634, 637, 664

CLAVICEPS

C. purpurea, 600, 633

C. virides, 633

Colletotrichum

- C. capsici, 600, 633
- C. compactum, 600
- C. corchori, 639
- C. falcatum, 600

light strain (Physalospora tucumanensis), 633

dark strain, 633

- C. graminicolum, 600
- C. glocosporioides, 633
- C. indicum, 600, 633
- C. lagenarium, see Glomerella lagenarium

COLLYBIA

- C. velutipes, 628, 633 CONIDIOBOLUS
- C. sp., 664

CONIOPHORA

C. cerebella, 664

CONIOTHYRIUM

C. diplodiella, 633

CORTICIUM

- C. rolfsii see Sclerotium rolfsii
- C. salmonicolor, 633
- C. solani, see Rhizoctonia solani
- C. sp., 628

CTENOMYCES

C. sp., 614, 664

CUNNINGHAMELLA

- C. blakesleeana (+) & (-), 633
- C. echinulata, 664

(+) & (-), 633

- C. elegans, 600
 - (+) & (-), 633

CURVULARIA

- C. lunata, 633, 637, 648, 664
- C. spp., 642, 648, 662, 664 CYTOSPORA

- C. sacchari, 633, 664
- C. sp., 664

DAEDALEA

- D. flavida, 614, 628, 633
- D. microzona, 614

DAEDALEA—Continued

- D. quercina, 614, 628
- D. steroides, 628

DEMATIUM

D. spp., 664

DICRANOPHORA

D. fulva, 633

DICTYUCHUS

D. sp., 656

DICYMA

D. sp., 664

DIPLODIA

- D. cajani, 633
- D. corchori, 639
- D. crassulae, 633
- D. sp., 648, 651, 662, 664 DIPODASCUS
- D. uninucleatus, 633

ENDOTHIA

E. parasitica, 633

EPICOCCUM

E. sp., 664

EREMASCUS

- E. fertilis, 633
- E. terrestris, 633

EREMOTHECIUM

E. ashbyii, 616, 666

FLAMMULA

F. dilepis, 614

FOMES

- F. albomarginatus, 628
- F. annosus, 628

var. corrugata, 628

- F. badius, 628
- F. caryophylli, 628
- F. conchatus, 628
- F. dochmius, 628
- F. durissimus, 628, 633
- F. fastuosus, 628, 633
- F. fomentarius, 628
- F. lamaoensis, 628
- F. lignosus, 628
- F. lividus, 628, 633

Fomes—Continued

F. melanoporus, 628, 633

F. pachyphloeus, 628

F. pini, 628, 664

F. pinicola, 628

F. rimosus, 628, 633

F. robustus, 628

F. roseus, 628, 664

F. senex, 628, 633

F. tricolor, 628, 633

F. spp., 628

FUSARIUM

F. anguioides, 633

F. angustum, 633

F. apii, 600, 633

var. pallidum, 633

F. avenaceum, 628, 633, 648

F. biasolettianum, 633

F. bostrycoides, 614, 633

F. brachygibbosum, 633

F. bulbigenum, 633

F. caeruleum, 619, 633, 648

F. conglutinans, 614, 633

var. betae, 633

var. callistephi, 633

F. cubense

var. inoderatum, 633 var. oxysporium, 600

F. culmorum, 628, 633

F. diversisporum, 633

F. equiseti, 633

F. fructigenum, 633

F. graminearum, 633

F. javanicum, 633

F. lateritium, 633

var. uncinatum, 633

F. lini, 600, 633, 648

F. moniliforme

var. majus, 633

var. subglutinans, 633

F. orthoceras, 633

var. apii, 633

var. ciceri, 633

Fusarium—Continued

var. longius, 633

var. pisi, 633

F. oxysporum, 633, 648, 664

F. poae, 633

F. scirpi, 633, 664

var. accuminatum, 633

F. semitectum, 633

F. solani, 648

var. martii, 633

var. minus, 633

F. udum, 600, 633, 648

var. crotalariae, 633

F. vasinfectum, 614, 633, 648,

662

var. lutulatum, 633

var. zonatum, 633

F. spp., 622, 624, 625, 635, 637,

642, 648, 651, 656, 662, 664

GANODERMA

G. applanatum, 628, 633

G. colossum, 633

G. lucidum, 628, 633

GLIOBOTRYS (STACHYBOTRYS)

G. spp., 664

GLIOCLADIUM

G. spp., 656, 664

GLIOMASTIX

G. convoluta, 637

GLOEOSPORIUM

G. fructigenum, 633

G. sp., 625, 651

GLOMERELLA

G. lagenarium, 633

G. sp., 600

GRAMMOTHELE

G. effusoreflexa, 633

GROSMANNIA

G. pini, 628, 633

GYMNOASCUS

G. reesii., 633

HELICOCERAS

H. nymphaearum, 621

HELMINTHOSPORIUM

H. bicolor, 633

H. gramineum, 614

H. halodes, 633 var. tritici, 633

H. oryzae, 614, 621, 642, 648

H. sativum, 614, 633

H. sp., 600, 624, 637, 648, 651 656, 662

HETEROSPORIUM

H. sp., 637, 664

HEXAGONIA

H. discopoda, 614, 628

H. gunnii, 614

H. sulcata, 628

H. sp., 628

HORMIACTELLA

H. sp., 664

HORMODENDRUM

H. sp., 656, 662

HYDNUM

H. septentrionale, 628

H. sp., 628

HYMENOCHAETE

H. rubiginosa

var. monosporus, 628

H. tabacina, 628

Hypochnus

(Nomen ambiguum = Tomentella)

H. sasakii, 633

HYPOXYLON

H. coccineum, 633

IRPEX

I. flavus, 614, 628, 633

ISOACHLYA

I. unispora, 633

I. sp., 656

LENTINUS

L. lepideus, 628, 664

L. praerigidus, 614

L. revelatus, 614

L. subnudus, 614, 628, 633

LENZITES

L. abietina, 628,

L. adusta, 628

L. betulina, 628

strain monosporus, 628 strain polysporus, 628

L. flaccida, 628

L. repanda, 614, 628, 633

L. saepiaria, 628

L. striata, 614, 628, 633

L. subferruginea, 628

L. trabea, 628

L. sp., 628

LEPIOTA

L. mastoidea (Lepiota gracilente), 614

LYCOPERDON

L. sp., 614

MACROPHOMINA

M. phaseoli see Rhizoctonia ba-

taticola, 600, 633, 639, 664

sub sp., sesamica, 619

sub sp., typica, 619

M. sp., 651, 664

MACROSPORIUM

M. sp., 664

MARASMIUS

M. campanella, 614

M. gordipes, 628

MELANCONIUM

M. sacchari see Pleocyta sacchari

MELANOSPORA

M. destruens, 633

M. sp., 625

MELANOPSICHIUM

M. eleusinis, 633

MEMNONIELLA

M. echinata, 633, 637, 664

M. sp., 664

MERULIUS

M. lacrymans, 628, 664

M. similis, 628, 664

M. tremellosus, 628

Merulius—Continued

M. spp., 628

METARRHIZIUM

M. anisopliae, 600, 619, 637

Monascus

M. purpureus, 633

M. sp., 664

MONILIA

M. albicans, 662

M. sitophila see Neurospora sitophila

M. sp., 634, 664

MORTIERELLA

M. stylospora, 633

Mucor

M. genevensis, 633

M. hiemalis (+) & (-), 633 (zygosporic), 633

M. mucedo, 633

M. sp., 600, 609, 625, 634, 635, 642, 645, 656, 662, 664

Mycelia Sterilia Group

M. sp., 664

MYCOSPHAERELLA

M. rabiei, 633 -

MYROTHECIUM

M. verrucaria (Syn. Metarrhizium glutinosum), 637, 664 Nectria

N. inventa (A. cinnabarinus), 664

NEMATOSPORA

N. gossypii, 616, 633

NEMATASPORANGIUM

N. rhizophthoron see Pythium rhizophthoron

NEOCOSMOSPORA

N. vasinfecta, 633

NEOVOSSIA

N. indica, 633

NEUROSPORA

N. crassa, (A) and (IA), 633

NEUROSPORA—Continued

X-ray mutants, 626, 646, 655, 666

N. sitophila (Monilia sitophila), 616, 645, 664

F(a), (No. I) and No. 2), 633

X-ray mutants, 646, 655, 664, 666

N. sp., 609, 645

NIGROSPORA

N. oryzae, 621, 633

N. sacchari, 633

OEDOCEPHALUM

O. sp., 664

OIDIUM

O. lactis, 634

O. sp., 634

Oospora

O. sp., 664

OPERCULLELA

O. padwickii, 633

O. sp., 600

OPHIOSTOMA

O. pilifera, 628

OZONIUM

O. texanum

var. parasiticum, 619

PAECILOMYCES

P. varioti, 633, 637, 664

P. sp., 634, 664

PELLICULARIA

P. filamentosa, 600

PENICILLIUM

P. adametzi, 637

P. aurantio, 633

P. biourgei, 645

P. brefeldianum, 637

P. brevicompactum, 633

P. canescens, 637

P. charlesii, 633

P. chrysogenum, 616, 633, 645

PENICILLIUM—Continued

P. citrinum, 616, 633, 637, 645 664

P. claviforme, 633, 645

P. cyaneum, 637

P. cyclopium, 633

P. expansum, 633

P. fellutanum, 637

P. flexuosum, 633

P. funiculosum, 637

P. glabrum, 633, 645

P. griseo, 633

P. herquei, 616, 626

P. italicum, 633

P. implicatum, 637

P. janthinellum, 637

P. luteo-viride, 633, 645

P. luteum, 633, 637, 645, 664

P. notatum, 600, 616, 626, 633, 637, 645

Flemings isolate, 633

Flemings strain, 633

W.B. strain, 633

N.R.R.L. 832, 633, 645

N.R.R.L. B.21., 633

Penicillin surface production, 633

P. oxalicum, 637

P. patulum, 633, 645

P. pinophilum, 664

P. puberulum, 633

P. purpurogenum, 637

P. roquefortii, 633

P. roseo-purpureum, 637

P. rubrum, 637

P. sartoryi, 626

P. simplicissimum, 637

P. spinulosum, 633, 645

P. steckii, 637

P. tardum, 637

P. urticae, 633

P. variabile, 637

P. vermiculatum, 626, 637

PENICILLIUM—Continued

P. wortmannii, 637

P. spp., 609, 625, 633, 634, 635, 637, 642, 645, 651, 656, 662, 664

PENIOPHORA

P. sp., 628

PESTALOTIA

P. palmarum, 633, 664

P. virgatula, 633

P. sp., 600, 621, 651, 664

PHIALOPHORA

P. fastigiata, 633

PHOLIOTA

P. microspora, 628

Рнома

P. alternariaceum, 648

P. casuarinae, 614, 633

P. glomerata, 648, 664

P. insidiosa, 648

P. spp., 642, 651, 662, 664

PHOMOPSIS

P. versonia, 633

PHYCOMYCES

P. blakesleeanus, 666

(+) & (-), 633

P. nitens, 600

(+) & (-), 633

PHYLLOSTICTA

P. sp., 651

PHYSALOSPORA

P. tucumanensis, 633

PHYTOPHTHORA

P. arecae (+) & (-), 633

P. cactorum, 633

P. cinnamomi, 600

P. colocasiae, 633

P. cryptogea, 633

P. fagi, 633

P. himalayensis, 633

P. infestans, 633

P. paeoniae, 633

P. palmivora, 600, 633

Phytophthora—Continued P. parasitica, 600, 614, 633, 640

var. nicotiana, 633

P. pini, 633

P. spp., 624, 625, 651, 662

PIRICULARIA

P. oryzae, 621, 633, 648

P. setariae, 633

P. spp., 600, 624, 651, 662

PLEOCYTA

P. sacchari, 633

PLEUROTUS

P. malis, 633

P. ostreatus, 628

POLYOPEUS

P. sp., 664

POLYPORUS

P. adustus, 628

P. agaricens, 633

P. amorphus, 628

P. anebus, 628

P. anthelminticus, 628, 633

P. brumalis see Polystictus brumalis

P. cervinogilvus, 628

P. circinatus, 628

P. consors, 628

P. conchorides, 628

P. cuticularis, 628

P. dichrous, 628

P. durus, 628, 633

P. friabilis, 628, 633

P. gilvus, 614, 628, 633

P. gramocephalus, 633

P. obtusus, 628

P. ochroleucus, 633

P. ostreiformis, 614, 628, 633

P. rubidus, 628, 633

P. schweinitzii, 614, 628

P. secernibilis, 628

P. shorea, 628

P. stein, 614

P. sulphureus, 628

POLYPORUS—Continued

P. versicolor, 628

P. zonalis, 614

POLYSTICTUS

P. abietinus, 628

P. affinis, 628, 633

P. brumalis, 633

P. caperatus, 628

P. elongatus, 628

P. hirsutus, 614, 628, 633, 664

P. leoninus, 614, 628, 633

P. sanguineus, 614, 628, 633, 644 other strains, (20 strains)

X-ray mutants, 614

dry, 614

heat treated, 614

A, B, C, D, F, G, 614

pairings, I, II, III, IV, V, VI, 614

AI, BI, CI, 614

P. steinheilianus, 628

P. tabacinus, 628, 633

P. velutinus, 633

P. versicolor, 628, 633, 664

P. vinosus, 628

P. xanthopus, 614, 628, 633

P. xeranticus, 628

P. zonalis, 611

P. spp., 628

PORIA

P. incrassata, 628

P. luleofibrata, 628

P. microspora, 628, 664

P. monticola, 614, 628

P. rixosa, 628

P. sarbonica, 614, 628

P. vaporaria, 664

P. xantha, 614, 628

P. spp., 628

PSALLIOTA

P. campestris, 614, 633

PTYCHOGASTER

P. sp., 628

Pullularia

P. pullulans, 633, 637, 664

Pycnostysanus

P. sp., 664

PYTHIUM

P. acanthicum, 633

P. afertile, 633

P. anandrum, 633

P. aphanidermatum, 600, 614, 633

P. aristosporum, 633

P. arrehenomanes, 633

P. artotrogus, 633

P. complectens, 633

P. debaryanum, 614, 633 var. pelargonii, 614, 633

P. epiphanosporon, 633

P. graminicolum, 600, 633

P. hyphalosticton, 633

P. indigoferae, 633

P. irregulare, 633

P. mamillatum, 633

P. oligandurm, 633

P. paroecandrum, 633

P. perillum, 633

P. periplocum, 633

P. piperinum, 633

P. rhizopthoron, 633

P. seleroteichum, 633

P. spinosum, 633

P. splendens, 633

P. ultimum, 619, 633

P. spp., 621, 625, 651, 656, 662

RHIZOCTONIA

R. bataticola (Microphomima phaseoli), 633, 639

R. melongenae, 633

R. solani (Corticium solani), 619, 633

R. spp., 621, 624, 625, 662, 664 RHIZOPUS

R. arrhizus, 633

R. artocarpi see R. nigricans

R. delemar, 633

R. japonicus, 636

RHIZOPUS—Continued

R. nigricans, 664, (Syn. R. artocarpi) (+) & (-), 633

R. nodosus, 633

R. oryzae, 633

R. sontii, 633

R. stolonifer, 664

R. tonkinensis, 633

R. tritici, 616

R. sp., 609, 625, 634, 635, 642, 656, 662

RHODOTORULA

R. sp., 645, 664

ROSELLINIA

R. necatrix, 633

SACCOBOLUS

S. sp., 625

SAPROLEGNIA

S. sp., 656

SCHIZOPHYLLUM

S. commune, 614, 628, 633, 664

S. sp., 628

SCLEROTINIA

S. oryzae, 633

S. sclerotiorum, 633

S. sp., 619

SCLEROTIUM

S. delphinii, 614

S. oryzae, 600

S. rolfsii, 619, 633, 639

S. spp. 621, 624, 664 SCOPULARIOPSIS

S. sp., 637, 664

SEPEDONIUM

S. sp., 664

SORDARIA

S. curvicolla, 633

S. curvispora, 633

S. fimicola, 633

S. humana, 633

S. inaequalis, 633

S. setosa, 633

S. sp., 664

SPHACELOTHECA

S. sorghi, 633

SPHAERONEMA

S. adiposum (Ceratostomella adiposum), 633

SPHAEROPSIDACEAE

S. sp., 664

SPHAEROPSIS

S. sp., 664

SPICARIA

S. sp., 656
SPONDYLOCLADIUM

S. sp., 656

SPOROTRICHUM

S. sp., 634

STACHYBOTRYS

S. atra, 637, 664

S. sp., 664

STAUROPHOMA

S. sp., 637, 664

STEMPHYLIUM

S. sp., 637, 664

STEREUM

S. fuscum, 628

S. hirsutum, 628

S. lobatum, 628

S. nitidulum, 628

S. percome, 614, 628

S. principes, 628

S. rugosum, 628

S. spp., 614, 628

STYSANUS

S. stemonitis, 619

S. sp., 637

SYNCEPHALASTRUM

S. racemosum, 633, 664

S. sp., 637, 664

SYNCEPHALIS

S. nana, 633

TAPHRINA

T. maculans. 633

Tetracoccosporium = Stemphylium

T. sp., 664

THAMNIDIUM

T. chaetocladiodes, 633

T. elegans, 633

THELEPHORA

T. sp., 628

THIELAVIA

T. sp., 662

THIELAVIOPSIS

T. paradoxa see Ceratostomella paradoxa

TILACHLIDIUM

T. tomentosum, 633

TOLYPOSPORIUM

T. ehrenbergii, 633

TORULA

T. sp. (Agaru fungus), 614

T. sp., 645, 664

TORULINA

T. sp., 664

TORULOPSIS

T. utilis, 633, 645

var. major, 633, 645

TRACHYSPHAERA

T. fructigena, 633

TRAMETES

T. badia, 614

T. cingulata, 614, 628, 633

T. cinnabarina, 614

T. corrugata, 628

T. cubensis, 614, 628

T. dickinsii, 628

T. incerta, 628, 633

TRAMETES

T. lactinea, 614, 628

T. meyenii, 628

T. persooni, 614

T. pini, 633

T. serialis, 628, 664

T. serpens, 628

T. spongipellia, 628

T. versatilis, 614, 628

TREMELLA

T. compacta, 614

T. fusiformis, 614

TRICHOCLADIUM

T. sp. (Syn. dicoccum), 664

TRICHOCONIS

T. padwickii, 621, 633

T. sp., 662

TRICHODERMA

T. koeningi, 633

T. lignorum, 633

T. viride, 633, 637

T. sp., 634, 642, 651, 664

TRICHOSPORIUM

T. vesiculosum, 600, 628

TRICHOTHECIUM

T. roseum, 600, 633

T. sp., 634

TRITIRACHIUM

T. sp., 664

USTILAGO

U. kolleri, 633

U. tritici, 633

U. zonata, 633

VERMICULARIA

V. sp., 625

VERTICILLIUM

V. glaucum, 664

V. sp., 624, 642, 662

VOLUTELLA

V. sp., 639

VOLVARIA

V. diplasia, 600, 614, 633

XYLARIA

X. hypoxylon, 633

ZYGORRHYNCHUS

Z. macrocarpus, 633

VIRUSES AND BACTERIOPHAGES

Chicken Pox, 643

Encephalomyelitis (equine

strain), 671

Foot and Mouth Disease

Vallee 'O,' 671

Vallee 'A,' 671

Waldman 'C,' 671

Fowl Pox

virulent, 671

avirulent, 671

Goat Dermatitis, 671

Goat Pox, 643, 671

Influenza

type A. PR 8, 605, 615, 632

type A. FMI., 605, 615, 632

type A. MEL., 605

type B. LEE, 605, 615

Mumps

New York, 49490, 615

Newcastle's Disease, 605

Pigeon pox, 643, 671

Poliomyelitis

strain Lansing, 605

Potato Leaf Roll Virus, 613

Potato Virus

A, 613

C, 613

X, 613

Y, 613

Q. Fever

Henzerling strain, 605

Rabies

Fixed, 643

Pasteur's strain, 632, 650

Ranikhet

avirulent (vaccine strain), 671

fixed virus, 643

virulent, 671

viruses of lowered virulence,

671

Rickettsia

sheep dermatitis, 671

sheep pox, 643, 671

Rinderpest avianised, 671 bovine strain, 643 bull virus of lower virulence, goat adapted, 643, 671

RINDERPEST—Continued lapianised (Nakamura strain III), 671 virulent bull virus, 671 Vaccinia, 631, 669 strain VVC/214, 615

YEASTS

ASHBYA A. gossypii, 616

CANDIDA

C. albicans (syn. Monilia albicans or Oidium albicans), 622, 645

C. arborea see Candida tropi-

C. flareri (Torulopsis candida),

C. guillermondii (Torulopsis fermentati), 645

C. lipolytica, 645

Syn. krusei, C. monosa (C. arborescens), Mycoderma 636

C. pseudotropicalis var. lactosa (syn. Torula lactosa), 634, 645

C. tropicalis (Candida arborea), 636

DEBARYOMYCES

D. membranaefaciens var. hollandicus, 616 ENDOMYCOPSIS

E. selenospora, 616

E. vernalis, 616, 645 HANSENIASPORA

H. valbyensis, 616 HANSENULA

H. anomola, 645

H. saturnus, 616

KLOECKERA

H. subpelliculosa, 616

K. brevis (K. apiculata), 645

KLOECKERA—Continued K. magna (syn. Pseudosaccharomyces magnus), 616 MONILLA

M. albicans see Candida albicans MYCODERMA

M. sp., 634, 645 NADSONIA

N. richteri (N. elongata), 616 NEMATOSPORA

N. coryli, 616 RHODOTORULA

R. gracilis (R. glutinis), 636

R. spp., 645

SACCHAROMYCES

S. carlsbergensis, 622, 634, 645 N.R.R.L. strain 108a, 645, 655

S. cerevisiae, 600, 601, 607, 615, 620, 626, 633, 634, 636, 638, 644, 645, 654, 660, 673

Baker's yeast strain, 636, 645 Brewer's yeast strain, 636

Burgandy, 616

Carlsberg strain, 645

Champagne, 616, 633, 645

Delft I, 633

Distiller's yeast, 633, 645

Frie bovis, 616

Gebruder Meyer strain, 645

Hungarian beer yeast, 633

Lindegren's strain, 645 Molasses yeast, 633, 645

Muskalet, 616

N.R.R.L. 977, 626, 645, 655

SACCHAROMYCES—Continued N.R.R.L. 1089, 645, 655 strain Y567, 626, 645 strain 3063, 626 Tokay, 616

S. cerevisiae

var. ellipsoideus (Syn. Saccharomyces ellipsoideus), 616,
622, 633, 634, 636, 638, 645
Australian wine yeast, 645
Burgandy, 616, 633, 645
Californian wine yeast, 633, 645
Cratericus, 633
Dekker, 633
French wine yeast, 633, 645
Menes wine yeast, 633
Steinberg, 633
Tokay, 633

S. rouxii, 616

S. turbidans (S. ellipsoideus var. turbidans), 633

S. spp., 622, 635, 645, 660 Schizosaccharomyces

S. octosporus, 616

S. pombe, 616, 645

TORULA

T. cremoris (Candida pseudotropicalis), 634, 645

T. plechora, 645

T. utilis, 616, 645

T. spp., 634, 636, 645, 664

TORULASPORA

T. rosei, 616

TORULOPSIS

T. etchellsii, 616

T. utilis, 600, 616, 645 var. major, 616, 645

T. sp., 635, 645

ZYGOSACCHAROMYCES

Z. barkeri, 616

Z. felsineus, 616

Z. gracilis, 616

Z. japonicus (S. rouxii), 616 var. soya, 616

Z. major, 616

Z. mellis, 616

Z. priorianus, 616, 645

Z. selenospora, 616

Z. sp., 634

UNCLASSIFIED YEAST STRAINS

Apricot yeast, 645 Cider yeast, 616

Dhar yeast (100 strains), 661

Fermented milk, 645 Lemon yeast, 645

Malt yeast, 645

Red yeast, 645

Sapota yeast, 645

Sugar-cane juice yeast, 645

Y-29, 664

Y-30, 664

Y-53, 645

Toddy yeast, 645



